

FIȘA DE VERIFICARE

a îndeplinirii standardelor minimale pentru participarea la concursul de ocupare a postului didactic de CONFERENȚIAR
UNIVERSITAR în cadrul U.M.F. "Carol Davila" din București

Facultatea de Medicină, Facultatea de Farmacie, Facultatea de Moașe și Asistență Medicală

I. Date despre candidat

Nume: Badea

Prenume: Georgeta Camelia

II. Date numerice privind îndeplinirea standardelor minimale necesare și obligatorii prevăzute în Ordinul Ministrului Educației Naționale și Cercetării Științifice nr. 6129/20.12.2016

1. Articole publicate în reviste cotate ISI Web of Science Clarivate, în calitate de autor principal

Criteriul	Standard minim	Realizat
Număr articole ISI <i>in extenso</i> în reviste cotate ISI Web of Science Clarivate, în calitate de autor principal	6	6

Lista articolelor ISI publicate în calitate de autor principal: autori, titlu articol, revistă, an, volum, pagini, factor de impact, pentru realizarea standardelor minimale.

Nr. Crt.	Autori	Tip autor prim, contribuție egală, ultim, corespondent și link	Titlu articol	Revista	An	Volum	Pagini	Factor de impact
----------	--------	--	---------------	---------	----	-------	--------	------------------

		către revistă sau către documentul scanat în care este menționată explicit contribuția egala sau statutul de autor corespondent						
AP- 1	Iosub I; Balan ES; Pinte, L; Draghici, AM; Baicus, C; Badea, C	ultim	The Impact of Antibiotic Use on Mortality in Patients Hospitalized in a COVID-19 Centre from Romania: A Retrospective Study	Medicina- Lituania	2022	58	10339	2,6
AP- 2	Baicus, C; Stoichitoiu, LE Pinte, L; Badea, C	ultim	Anticoagulant Protein S in COVID-19: The Low Activity Level Is Probably Secondary	AMERICAN JOURNAL OF THERAPEUTICS	2021	28	E139- E140	3,09
AP- 3	Baicus, C; Pinte, L; Stoichitoiu, LE; Badea, C	ultim	Hydroxychloroquine for prophylaxis of COVID-19 physicians survey: Despite lack of evidence, many would take or give to dear ones, and despite the perceived necessity of an RCT, few would participate)	JOURNAL OF EVALUATION IN CLINICAL PRACTICE	2020	26	1579- 1582	2,33

AP-4	Baicus, C; Balanescu, P; Zeh, S; Oprisan, E; Lapadatu, R; Gurghean, A Mihailescu, G Badea, CG	ultim	Characteristics of shared decision making in Romania from the patient perspective: A cross-sectional multicentric study	JOURNAL OF EVALUATION IN CLINICAL PRACTICE	2019	25	1152-1159	1,68
AP-5	Dima, A ; Caraiola, S; Delcea, C; Ionescu, RA; Jurcut, C; Badea, C	ultim	Self-reported disease severity in women with systemic lupus erythematosus	RHEUMATOLOGY INTERNATIONAL	2019	39	533-539	1,98
AP-6	Pompilian, V); Balanescu, P ; Balanescu, E; Badea, C	ultim	Annexin A5 as Independent Predictive Biomarker for Subclinical Atherosclerosis and Endothelial Dysfunction in Systemic Lupus Erythematosus Patients	CLINICAL LABORATORY	2013	59	359-367	1,12

Criteriu îndeplinit:

DA NU

2. Articole publicate în reviste cotate ISI Web of Science Clarivate, în calitate de coautor

Criteriul	Standard minim	Realizat
Număr articole publicate în reviste cotate ISI Web of Science Clarivate, în calitate de coautor	3	7

Lista articolelor ISI publicate în calitate de coautor: autori, titlu articol, revistă, an, volum, pagini, factor de impact, pentru realizarea standardelor minime.

Nr. Crt.	Autori	Titlu articol	Revista	An	Volum	Pagini	Factor de impact
CA-1	Pinte, L ; Ceasovschi, A ; Niculae, CM; ...; Badea, C ; Sorodoc, L; Baicus, C	Antibiotic Prescription and In-Hospital Mortality in COVID-19: A Prospective Multicentre Cohort Study	JOURNAL OF PERSONALIZED MEDICINE	2022	12	12060877	3,4
CA-2	Pinte, L ; Caraiola, S ; Balaban, DV ; Badea, C ; Mazilu, D; ...; Parvu, MI ; Baicus, C	COVID-19 Impact and Vaccination Willingness among Romanian Patients with Autoimmune/ Immune-Mediated Diseases	HEALTHCARE	2021	9	9121707	2,19
CA-3	Pinte, L ; Negoi, F ; Ionescu, GD; Caraiola, S; Balaban, DV; Badea, C ; Ionescu, R; Parvu, MI ; Baicus, C	COVID-19 Vaccine Does Not Increase the Risk of Disease Flare-Ups among Patients with Autoimmune and Immune-Mediated Diseases	JOURNAL OF PERSONALIZED MEDICINE	2021	11	11121283	3,5
CA-4	Stoichitoiu, LE ; Pinte, L ; ...; Sorodoc, L; Hristea, A; Purcarea, A; Badea, C Baicus C	In-Hospital Antibiotic Use for COVID-19: Facts and Rationales Assessed through a Mixed-Methods Study	JOURNAL OF CLINICAL MEDICINE	2022	11	11113194	3,9
CA-5	Rimbas M, Badea CG , Nicolau A, Voiosu MR, Baicus CR,	Small bowel inflammatory involvement in Behçet's disease associated spondyloarthritis is different from other	J Gastrointestin Liver	2013	22	405-11	2,1

		spondyloarthritides. A prospective cohort study					
CA-6	Tanasescu, C; Balanescu, E; Balanescu, P; Badea, C ; Grancea, C; Ardeleanu, C; Georgescu, A.	IL-17 in cutaneous lupus erythematosus	EUROPEAN JOURNAL OF INTERNAL MEDICINE	2010	21	202	1,68
CA-7	Dima, A; Jurcut, C; Balanescu, E; Badea, C ; Lacatus, N; Popp, A	Immune and autoimmune gluten-related phenomenon in systemic lupus erythematosus	LUPUS	2017	26	1235-126	2,9

Criteriu îndeplinit:

DA NU

3. Factorul cumulat de impact pentru articolele publicate ca autor principal în reviste cotate ISI (FCIAP)

Criteriul	Standard minim	Realizat (suma factorilor de impact ai articolelor publicate de autor în calitate de autor principal în reviste cotate ISI Web of Science Clarivate)
(ISI) Factor cumulat de impact autor principal	6	12,8

Lucrările care sunt luate în considerare pentru calculul sumei factorului cumulat de impact pentru articolele publicate ca autor principal în reviste cotate ISI

Nr. Crt.	Autori	Titlu articol	Revista	An	Volum	Pagini	Factor de impact
L1.	Iosub I; Balan ES ; Pinte, L ; Draghici, AM ; Baicus, C ; Badea, C	The Impact of Antibiotic Use on Mortality in Patients Hospitalized in a COVID-19 Centre from Romania: A Retrospective Study	Medicina- Lituania	2022	58	10339	2,6
L2.	Baicus, C ; Stoichitoiu, LE Pinte, L; Badea, C	Anticoagulant Protein S in COVID-19: The Low Activity Level Is Probably Secondary	AMERICAN JOURNAL OF THERAPEUTICS	2021	28	E139-E140	3,09
L3	Baicus, C; Pinte, L; Stoichitoiu, LE; Badea, C	Hydroxychloroquine for prophylaxis of COVID-19 physicians survey: Despite lack of evidence, many would take or give to dear ones, and despite the perceived necessity of an RCT, few would participate)	JOURNAL OF EVALUATION IN CLINICAL PRACTICE	2020	26	1579-1582	2,33
L4	Baicus, C; Balanescu, P; Zeh, S; Oprisan, E; Lapadatu, R; Gurghean, A Mihailescu, G Badea, CG	Characteristics of shared decision making in Romania from the patient perspective: A cross-sectional multicentric study	JOURNAL OF EVALUATION IN CLINICAL PRACTICE	2019	25	1152-1159	1,68
L5	Dima, A ; Caraiola, S; Delcea, C; Ionescu, RA; Jurcut, C; Badea, C	Self-reported disease severity in women with systemic lupus erythematosus	RHEUMATOLOGY INTERNATIONAL	2019	39	533-539	1,98
L6	Pompilian, V); Balanescu, P ; Balanescu, E; Badea, C	Annexin A5 as Independent Predictive Biomarker for Subclinical Atherosclerosis and Endothelial Dysfunction in Systemic Lupus Erythematosus Patients	CLINICAL LABORATORY	2013	59	359-367	1,12

Criteria îndeplinit:

DA NU

4. Indexul Hirsch

Criteria	Standard minim	Realizat
Index Hirsch	4	8

Lucrările care sunt luate în considerare pentru calculul indexului Hirsch (conform Web of Science – Core Collection):

Nr. Crt.	Autori	Titlu articol	Revista	An	Volum	Pagini	Numărul de citări
L1.	Tanasescu, C; Balanesco, E; Balanesco, P; Badea, C ; Grancea, C; Ardeleanu, C; Georgescu, A.	IL-17 in cutaneous lupus erythematosus	EUROPEAN JOURNAL OF INTERNAL MEDICINE	2010	21	202	74
L2.	Pompilian, V); Balanesco, P ; Balanesco, E; Badea, C	Annexin A5 as Independent Predictive Biomarker for Subclinical Atherosclerosis and Endothelial Dysfunction in Systemic Lupus Erythematosus Patients	CLINICAL LABORATORY	2013	59	359-367	20
L3.	Pinte, L ; Negoii, F ; Ionescu, GD; Caraiola, S; Balaban, DV; Badea, C ; ...Ionescu, R; Parvu, MI ; Baicus, C	COVID-19 Vaccine Does Not Increase the Risk of Disease Flare-Ups among Patients with Autoimmune and Immune-Mediated Diseases	JOURNAL OF PERSONALIZED MEDICINE	2021	11	11121283	22

L4.	Stoichitoiu, LE; Pinte, I; Balea, MI; Nedelcu, V (Nedelcu, Valentin); Badea, C (Badea, Camelia) ; Baicus, C	Anticoagulant protein S in COVID-19: low activity, and associated with outcome	ROMANIAN JOURNAL OF INTERNAL MEDICINE	2020	58	251-258	19
L5.	Dima, A; Jurcut, C; Balanescu, P; Balanescu, E; Badea, C ;... Ionescu, R; Baicus, C.	Clinical significance of serum and urinary interleukin-6 in systemic lupus erythematosus patients.	EGYPTIAN RHEUMATOLOGIST	2016	39	1-6	11
L6.	Pinte, I; Ceasovschi, A; Niculae, CM; ...; Badea, C ; Hristea, A; Sorodoc, I; Baicus, C	Antibiotic Prescription and In-Hospital Mortality in COVID-19: A Prospective Multicentre Cohort Study	JOURNAL OF PERSONALIZED MEDICINE	2022	12	12060877	11
L7.	Baicus, C; Balanescu, P; Zeh, S; Oprisan, E; Lapadatu, R; Gurghean, A; Mihailescu, G; Badea, CG	Characteristics of shared decision making in Romania from the patient perspective: A cross-sectional multicentric study	JOURNAL OF EVALUATION IN CLINICAL PRACTICE	2019	25	1152-1159	8
L8	Baicus, C; Balanescu, P; Gurghean, A; Badea, CG ; ...; Balanescu, AR; Doha, I	Romanian version of SDM-Q-9 validation in Internal Medicine and Cardiology setting: a multicentric cross-sectional study	ROMANIAN JOURNAL OF INTERNAL MEDICINE	2019	57	195-200	8

L9	Baicus, C ; Stoichitoiu, LE Pinte, L; Badea, C	Anticoagulant Protein S in COVID-19: The Low Activity Level Is Probably Secondary	AMERICAN JOURNAL OF THERAPEUTICS	2021	28	E139- E140	6
L10	Stoichitoiu, LE ; Pinte, L; Sorodoc, L; Hristea, A;..... Purcarea, A Badea, C Baicus C	In-Hospital Antibiotic Use for COVID-19: Facts and Rationales Assessed through a Mixed-Methods Study	JOURNAL OF CLINICAL MEDICINE	2022	11	11113194	7
L11	Delcea, C; Dima, A; Jurcut, C; Caraiola, S; Badea, C; Nitescu, D ; Dan, GA S	Utility of the Glasgow prognostic Score in Systemic Lupus Erythematosus, in a single center cohort of 130 patients	ANNALS OF THE RHEUMATIC DISEASE	2015	74	638	6
L12	Dima, A; Caraiola, S; Jurcut, C; Badea, C;; Baicus C; Dan GA	Extended Antiphospholipid Antibodies Screening in Systemic Lupus Erythematosus Patients	ROMANIAN JOURNAL OF INTERNAL MEDICINE	2015	53	321-328	5
L13	Pompilian VM, Tănăseanu Ș, Badea C, Zurac S, Socoliuc C, Badelita S, Botez E, Antohe M 2	IgG,kappa monoclonal gammopathy of unknown significance with AL amyloidosis simulating giant cell arteritis..	Rom J Intern Med.	2017	55	179-182	5
L14	Baicus, C; Pinte, L; Stoichitoiu, LE; Badea, C	Hydroxychloroquine for prophylaxis of COVID-19 physicians survey: Despite lack of evidence, many would take or give to dear ones, and despite the perceived necessity of an RCT, few would participate)	JOURNAL OF EVALUATION IN CLINICAL PRACTICE	2020	26	1579- 1582	4

L15	Dima, A; Jurcut, C; Balanescu, E; Badea, C ; Lacatus, N; Popp, A	Immune and autoimmune gluten-related phenomenon in systemic lupus erythematosus)	LUPUS	2017	26	1235-1236	4
L19	Dima, A ; Caraiola, S; Delcea, C; Ionescu, RA; Jurcut, C; Badea, C	Self-reported disease severity in women with systemic lupus erythematosus	RHEUMATOLOGY INTERNATIONAL	2019	39	533-539	3

Criteriu îndeplinit:

DA NU

Confirm prin prezenta că datele menționate mai sus sunt reale și se referă la propria mea activitate profesională și științifică

Data

12.02.2024

Semnătura candidatului

Note asupra metodei de calcul:

1. va fi luat în considerare Indexul Hirsch calculat utilizând ISI Web of Science Clarivate, Core Collection, Thomson Reuters, pentru întreaga carieră a candidatului („all years”);
2. o revistă cotate ISI este o revistă pentru care Thomson Reuters calculează și publică factorul de impact în „Journal Citation Reports”;
3. autorul/autorii principali ai unei publicații se consideră a fi oricare dintre următorii:
 - a. primul autor;
 - b. autorul corespondent;
 - c. alți autori, a căror contribuție este indicată explicit în cadrul publicației a fi egală cu contribuția primului autor sau a autorului corespondent;
 - d. ultimul autor.
4. factorul cumulat de impact va fi calculat pentru articolele la care candidatul este autor principal (FCIAP). FCIAP = suma factorilor de impact ai articolelor publicate de autor în calitate de autor principal în reviste cotate ISI;
5. vor fi incluse articole originale și reviews; în cazul publicațiilor în reviste cu factor de impact mai mare decât 3, pot fi luate în considerare și alte tipuri de publicații în extenso (nu rezumate)